



ROLLER GARAGE DOORS



EUROLL UK ROLLER DOORS



Euroll UK is based in West Sussex and specialises in manufacturing high-quality foam-filled roller garage doors.

Euroll UK Roller Garage Doors are an effective addition to your home, with a whole host of benefits compared to a traditional style garage door.



MADE-TO-MEASURE



Manufactured from aluminium with an insulated foam-filled core, they are ideal if you are also planning to use your garage as a playroom, workshop, gym, home office or storeroom.

Peace of mind guarantee - Euroll UK roller doors are guaranteed for 5 years from the date of purchase against defect of materials (subject to correct installation, maintenance and operation).

UKCA/CE marked - compliant with all relevant legislation.


Made-to-measure - no compromise on weather protection, insulation or security.

Safe and secure - Safety Edge System as standard.





Classic



Euroll UK 'Classic' design roller garage door is perfect for single bays, larger garage bays or for double doors (extra wide).

Manufactured using interlocking foam-filled double-walled aluminium lath, the roller door curtain rolls up neatly into a 300mm canopy/box.

The drive through height of the garage depends on whether the roller door is fitted either in the reveal itself or behind the reveal on the internal face of the garage. An allowance must be made for the size of the canopy and also one lath section that hangs down inside the guide channels.

The canopy and guides are manufactured in White or Dark Brown as standard and can also be colour matched to the curtain as an optional extra (in solid colours not woodgrain).





Euroll UK Classic




Deeper foam-filled lath
suitable for larger/double
garage doors

 Available in **nineteen** solid colour finishes
and **four** woodgrain effects





Compact



Euroll UK 'Compact' design roller garage door is perfect for single garage bays and/or where headroom space is limited - up to a maximum width of 3 meters.

Manufactured using interlocking foam-filled double-walled aluminium lath, the roller door curtain rolls up neatly into a 205mm canopy/box. The drive through height of the garage depends on whether the roller door is fitted either in the reveal itself or behind the reveal on the internal face of the garage. An allowance must be made for the size of the canopy and also one lath section that hangs down inside the guide channels.

As per the Classic Roller Door, the canopy and guides are manufactured in White or Dark Brown as standard and can also be colour matched to the curtain in a solid colour as an optional extra.



Euroll UK Compact



Perfect for smaller garages
with limited headroom



Available in **sixteen** solid colour finishes
and **two** woodgrain effects



COLOUR RANGE

Euroll Roller Garage Doors can be made in any colour and finish to match and enhance your home. There are 14 solid colours as standard in the range.

SOLID COLOURS



WHITE



CREAM



IVORY



BEIGE



GREY



SILVER



CHARTWELL



FIR GREEN



BROWN



DARK BROWN



BURGUNDY



DARK BLUE



ANTHRACITE



BLACK



ANY RAL COLOUR

Your door and guides/canopy can be made in any RAL or BS colour as an optional extra.

WOODGRAIN EFFECTS



GOLDEN OAK



WALNUT



ROSEWOOD



IRISH OAK*

ADDITIONAL COLOURS (NOT STANDARD)



RUBY RED



SIGNAL BLUE



DUCK EGG



SLATE GREY



QUARTZ GREY



GRAPHITE

COLOUR SAMPLE SERVICE

Unsure which colour or woodgrain effect to choose? Then simply request a sample from your installation engineer and we will post a swatch to you. Alternatively you can order free samples from the Euroll UK website directly. Not all colours are available in Classic/Compact - please ask for details.

COLOUR VARIATIONS

Although we have ensured that the colour swatches shown here are representative, they may not reflect the shade of our lath exactly. We advise ordering a colour sample to be completely sure that you are satisfied with your final choice. Due to the nature of the design of the wood grain effect, variations in pattern/colour may be present in the curtain. This is a natural part of the look and feel of a wood effect curtain.

*Laminated - not standard

ROLLER GARAGE DOOR KEY FEATURES



Extensive Solid Colour Range



Woodgrain Effects



Full or Half Box/Canopy



User-Friendly Control Panel



Available in Compact/Classic



Safety Edge

CONTROLS & ACCESSORIES

Euroll Roller Garage Doors are supplied with a Safety System and two 2-channel hand transmitters as standard.

- Control Box With Courtesy Light
- Holiday Mode as standard
- Wireless Safety Edge as Standard
- Standard Internal Manual Override
- Rubber bottom seal
- Pre-programmed and tested

As Standard:



Control Panel with Courtesy Light



2 x 2-Channel Hand Transmitter

Optional Extras:



Wireless Key Pad



4-Channel Hand Transmitter



Door Alarm System (98 DECIBELS)



Wall Mounted Remote Controls



External Manual Override / Emergency External Release

ADDITIONAL INFORMATION



HEADROOM/GUIDE REQUIREMENTS

Euroll UK Classic roller doors require a headroom of 300mm and use 75mm x 34mm guides for doors up to 3m wide. 90mm x 34mm guides are used on doors over 3m wide. Euroll UK Compact doors require 205mm headroom and use 66mm x 27mm guides. The bottom lath of your roller garage door will hang down into the opening of the garage, so will reduce the drive through height. If the door is being installed between the opening, the drive through width will be reduced by the total guide widths. The drive through height will be reduced by the headroom requirement and bottom lath size.

EXTERNAL DOORS

Where the roller door is installed externally, the remote control system must be installed either inside the garage or in a waterproof box (which is an optional extra). The bottom slat transmitter must always be installed on the internal face of the door and is not suitable for applications where it will be exposed to weather or excessive moisture due to condensation.

CURTAIN MARKING

Across the lifetime of the roller door, dust and particles may create marks or scratches on the curtain and it may also rub against the locking hangers. This will not affect the performance of the door and is not covered by the warranty.

DOOR POSITIONS

INTERNAL FACE FIX



This is the most popular type of fitting position. It needs sufficient side and headroom and is installed directly to the inside of the garage opening.

REVEAL FIX



For garages where there is limited side or headroom, a reveal fit is a good option. However it reduces the drive through width and height, which needs to be a consideration for the overall use of the garage.

EXTERNAL FACE FIX



When there is not enough room to install on the inside, but where maximum drive through width and height is required, an external face fix is the ideal option.

TECHNICAL INFORMATION

EXTERNAL MANUAL OVERRIDE

All our doors are supplied with an internal manual override kit in case of a power failure. If your garage door is the only means of access then we recommend an additional low level external manual override kit, to enable full access to the garage should a power failure arise.

VISION SLATS

Vision slats allow natural light into your garage and are available with or without glazing. On wood grain doors they are supplied in a brown finish.

EXTRUDED LATH

Euroroll also supply a 44mm extruded non-insulated lath. Available in white as standard or colour coated to your exact requirements as an optional extra.

VIRTUALLY MAINTENANCE FREE

The curtain needs wiping with a damp cloth and mild detergent to remove any excessive dirt or grime, to maintain its prime appearance and to reduce the risk of the surface being damaged. The motor and curtain have been designed to be lubrication free.

	Euroll UK Foam Filled Compact	Euroll UK Foam Filled Classic
End Plate Sizes	205mm	300mm
Guide Sizes	66mm	75mm or 90mm
Guide Limits	-	Up to 3m use 75mm Over 3m use 90mm
Total Door Height	2600mm	3200mm
Headroom Requirement	205mm	300mm
Guide Colours	White and Dark Brown as Standard. Other colours are Optional.	
Finish	Solid & Woodgrain Effect (see colour chart)	
5 Year Warranty	INCLUDED	
UKCA / CE Marked	INCLUDED	
Electric Operation	INCLUDED	
Motor	40Nm	40Nm, 80Nm or 130Nm
Power Supply	13 Amp 240v Single Phase	
Standard Manual Override	INCLUDED	
External Manual Override	OPTIONAL	
Half Box (90 degree fascia)	INCLUDED AS STANDARD	
Full Box (additional 45 degree fascia)	INCLUDED AS STANDARD	
Safety System	Wireless Safety Edge (+Inertia Safety Brake - dependent on weight)	
Auto Locking System	INCLUDED	
Internal Control Board	INCLUDED (with Courtesy Light and Up/Down/Stop buttons)	
Holiday Security Setting	INCLUDED	
Remote Control Transmitters x2	INCLUDED	
Wall Mounted Key Switch Operation	OPTIONAL	
Alarm	OPTIONAL	
Windows / Vision Slats	OPTIONAL	



For more information regarding Euroll UK Roller Garage Doors
and other products please visit

www.eurolluk.co.uk



Find us on Facebook and Instagram @eurolluk

The Business Park, One Maydwell Avenue, Slinfold, West Sussex RH13 0AS

Email: sales@eurolluk.co.uk Telephone: 01403 786130

We reserve the right to make any alterations to our products and services which may not be featured in this brochure. This brochure may not be copied/reproduced without our prior written consent. Some images are kindly supplied by our trade customers under their own copyright.

Copyright Euroll UK Ltd ©